

Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

62.73 1898

Galen's
Flora of
Lancaster
County
Penna.

LIBRARY
RECEIVED

JUL 24 1923

U. S. Department of Agriculture

1898. ~~1898~~

Copy Postpaid for 5 Cents

A DISCOUNT of 25 per cent will be given on orders for 500, 1000, 5000, or more; the same discount allowed for half those amounts. Orders amounting to \$5 will be allowed the same discount.

Prices in the list for shrubs and trees are for those from 1 to 4 feet in length; higher rates for larger sizes.

Herbarium Specimens furnished to order for \$3 per 100, \$20 per 1000, 50 cents per dozen, post-paid, dated, and selected true to name.

Seeds carefully collected by the ounce, pound and bushel.

Seeds and Herbarium Specimens exchanged.

TERMS.

All bills will be due on receipt of the plants, unless by special agreement.

Plants, etc., are packed in damp moss.

ADDRESS

JAMES GALEN,

BETHESDA, LANCASTER COUNTY, PA., U. S. A.

Cable and Express Office, McCall's Ferry, Pa.

If this list cannot serve you, please hand to your neighbor.

ERRATUM.

No. 36, page 1, should read : *Nymphæa*, instead of "Nympæa."

ADDENDA.

Order by Name or Number.	Price Per 10	Per 100	Per 1000
22½ <i>Anemonella thalictroides</i> , Spach.	10	30	2 50
54½ <i>Nasturtium officinale</i> , R. Br. .	20	50	
551½ <i>Spiræa betulæfolia</i> , Pall, var. corymbosa, Watson.			
298½ <i>Myriophyllum verticillatum</i> , L.			
421½ <i>Solidago macrophylla</i> , Pursh.	25	75	
422½ <i>Boltonia diffusa</i> , L'Her. . . .	25	75	
532½ <i>Leontodon autumnalis</i> , L. . . .			
328½ <i>Zizia aurea</i> , Koch,	25	75	
692½ <i>Ruellia strepens</i> , L.	25	75	5 00
577½ <i>Lysimachia numularia</i> , L. . . .	20	50	3 00
636½ <i>Linaria Elatine</i> , Mill.			
989½ <i>Cyperus speciosus</i> , Vahl. . . .	20	50	
1102½ <i>Panicum laxiflorum</i> , Lam. . . .			
1103½ <i>commutatum</i> , Schult.			
1104½ <i>viscidum</i> , Ell.			
1169½ <i>Eragrostis Purshii</i> , Sch.			
1187½ <i>Festuca ovina</i> , L.			
1216½ <i>Asplenium Bradleyi</i> , D.C.Eat'n.	50		
1225½ <i>Aspidium cristatum</i> , Swts., var. Clintonianum, Eat'n	25	75	
75½ <i>Viola pedatifida</i> , G. Don. . . .	20	50	3 00

A FAVOR ASKED:

**Don't Cut this Catalogue. Order
by the Name and Number.**

If you have no use for this catalogue, or should you receive more than one copy, we would esteem it a great favor if you would hand or send them to friends.

GALEN'S PRICE LIST

OF THE

FLORA OF LANCASTER COUNTY, PENNSYLVANIA.

1898.

Ranunculaceæ.

Order by Name or Number.	Price Per 10	Fer 100	Per 1000
1 Clematis Virginiana, L.	\$ 25	\$ 50	\$2 50
2 verticillaris, DC.	50		
3 Anemone Pennsylvanica, L. . . .	30	60	
4 Virginiana	25	50	2 00
5 nemorosa, L.	15	40	1 50
6 Hepatica triloba, Chaix	15	40	1 50
7 Delphinium Consolida, L.			
8 Thalictrum purpurescens, L. . . .	25	60	2 50
9 polygamum, Muhl.	25	60	2 50
10 dioicum, L.	20	40	1 50
11 Ranunculus septentrionalis, Poir			
12 ambigens, Watson			
13 abortivus, L.			
14 recurvatus, Poir			
15 repens, L.			
16 bulbosus, L.			
17 aquatilis, L., var. tri-			
chophyllus, Gray.			
18 Flamula, L., var.			
reptans, E. Meyer			
19 sceleratus, L.			
20 Pennsylvanicus, L. f			
21 fascicularis, Muhl			
22 Caltha palustris, L.	30	60	
23 Aquilegia Canadensis, L.	20	40	1 50
24 Hydrastis Canadensis, L.	20	40	1 50
25 Actæa alba, Bigel	30	75	
26 Cimicifuga racemosa, Nutt	25	50	2 50

Magnoliaceæ.

27 Magnolia glauca, L.	50	3 00	
28 Umbrella, Lam	30	1 50	
29 Liriodendron Tulipifera, L. . . .	25	50	3 00

Anonaceæ.

50 Asimina triloba, Dunal	25	60	3 50
-------------------------------------	----	----	------

Menispermaceæ.

31 Menispermum Canadense, L. . . .	25	50	3 00
------------------------------------	----	----	------

Berberidaceæ.

32 Berberis vulgaris, L.	50	4 00	
33 Caulophyllum thalictroides, Mx.	25	50	3 00
34 Podophyllum peltatum, L.	15	40	1 50

Nymphaeaceæ.

35 Brasenia peltata, Pursh.	25	60	3 50
36 Nymphaea odorata, Ait.	30	75	4 00
37 Nuphar Kalmianum, Ait	30	75	4 00
38 advena, Ait, f	30	75	4 00

Papaveraceæ.

39 Papaver somniferum, L.			
40 dubium, L.			
41 Argemone Mexicana, L.			
42 Chelidonium majus, L.			
43 Sanguinaria Canadensis, L. . . .	15	35	1 50

Sarraceniacæ.

44 Sarracenia purpurea, L.			
------------------------------------	--	--	--

Fumariaceæ.

45 Adlumia cirrhosa, Raf.	25	60	
46 Dicentra Cucullaria, DC.	15	35	1 50

Order by Name or Number.	Price Per 10	Per 100	Per 1000
47 <i>Dicentra Canadensis</i> , DC.	15	35	1 50
48 <i>Corydalis glauca</i> , Pursh			
49 <i>flavula</i> , DC.			
50 <i>aurea</i> , Willd			
51 <i>Fumaria officinalis</i> , L.			

Crucifereæ.

52 <i>Nasturtium palustre</i> , DC.			
53 Var. <i>hispidum</i> , Gray			
54 <i>Armoracia</i> , Fries.	25	50	3 00
55 <i>Dentaria laciniata</i> , Muhl.	15	30	1 50
56 <i>diphylla</i> , L.	40		
57 <i>Cardamine hirsuta</i> , L.			
58 <i>rhomboidea</i> , DC.	15	30	1 50
59 <i>Arabis lyrata</i> , L.			
60 <i>patens</i> , Sulliv.			
61 <i>lævigata</i> , Poir.			
62 <i>Canadensis</i> , L.			
63 <i>Barbarea vulgaris</i> , R. Br.			
64 <i>Erysimum cheiranthoides</i> , L.			
65 <i>Sisymbrium officinale</i> , Scop.			
66 <i>Thaliana</i> , Gaud.			
67 <i>Brassica Sinapistrum</i> , Boiss.			
68 <i>nigra</i> , Koch.			
69 <i>Draba Caroliniana</i> , Walt.			
70 <i>verna</i> , L.			
71 <i>Camelina sativa</i> , Crantz.			
72 <i>Capsella Bursa-pastoris</i> , MO.			
Möench			
73 <i>Lepidium Virginicum</i> , L.			
74 <i>campestre</i> , Br.			

Capparidaceæ.

75 <i>Polanisia graveolens</i> , Raf.			
---	--	--	--

Violaceæ.

76 <i>Solea concolor</i> , Ging.	23	50	2 50
77 <i>Viola rotundifolia</i> , Michx.			
78 <i>primulæfolia</i> , L.			
79 <i>blanda</i> , Willd.			
80 <i>palmata</i> , L.			
81 <i>cucullata</i> , Ait.			
82 <i>sagittata</i> , Ait.			
83 <i>pedata</i> , L.			
84 Var. <i>bicolor</i> , Pursh.			
85 <i>canina</i> , L., var. <i>sylvestris</i> , Regel.			
86 <i>striata</i> , Ait.			
87 <i>pubescens</i> , Ait.			
88 Var. <i>scabriuscula</i> , T. & G. 89 <i>tricolor</i> , L., var. <i>arven-</i> <i>sis</i> , DC.			
89½ <i>lanceolata</i> , L.			

Violets collected for 20 cents
per 100, \$1.50 per 1,000.

Cistaceæ.

90 <i>Helianthemum Canadense</i> , Michx.	20	50	2 00
91 <i>Lechea racemulosa</i> , Lam.	20	50	2 00
92 <i>major</i> , Michx.	20	50	2 00
93 <i>minor</i> , L.	15	40	1 50

Caryophyllaceæ.

94 <i>Dianthus Armeria</i> , L.			
95 <i>Saponaria officinalis</i> , L.	15	40	2 00
96 <i>Vaccaria</i> , L.			
97 <i>Silene stellata</i> , Ait.	25	50	2 50
98 <i>nivea</i> , Otth.	25	50	2 50
99 <i>Pennsylvanica</i> , Michx.	25	50	2 50
100 <i>noctiflora</i> , L.			
101 <i>antirrhina</i> , L.			
102 <i>Armeria</i> , L.			
103 <i>Lychnis Githago</i> , Lam.			
104 <i>Arenaria Michauxii</i> , Hook. f.	25	50	2 50
105 <i>serpyllifolia</i> , L.			
106 <i>lateriflora</i> , L.	25	50	2 50
107 <i>Stellaria pubera</i> , Michx.	20	40	1 50
108 <i>media</i> , Smith			

Order by Name or Number.	Price Per 10	Per 100	Per 1000
109 <i>Stellaria longifolia</i> , Muhl.	20	40	1 50
110 <i>Holosteum umbellatum</i> , L.			
111 <i>Cerastium viscosum</i> , L.			
112 <i>vulgatum</i> , L.	20	40	1 50
113 <i>nutans</i> , Raf.			
114 <i>oblongifolium</i> , Torr.	20	40	1 50
115 <i>arvense</i> , L.	20	40	1 50
116 <i>Sagina apetala</i> , L.			
117 <i>Buda rubra</i> , Dumort.			

Portulacaceæ.

118 <i>Portulaca oleracea</i> , L.			
119 <i>Talinum teretifolium</i> , Pursh.	25	50	2 00
120 <i>Claytonia Virginica</i> , L.	20	40	2 00

Hypericaceæ.

121 <i>Ascyrum Crux-Andreæ</i> , L.	20	40	2 00
122 <i>Hypericum Ascyron</i> , L.	50	3 50	
123 <i>prolificum</i> , L.	25	60	5 00
124 <i>ellipticum</i> , Hook.	20	40	2 00
125 <i>perforatum</i> , L.	20	40	2 00
126 <i>maculatum</i> , Walt.	20	40	2 00
127 <i>mutilum</i> , L.			
128 <i>Canadense</i> , L.			
129 <i>nudicaule</i> , Walt.			
130 <i>Elodes campanulata</i> , Pursh.	20	40	2 00

Malvaceæ.

131 <i>Malva rotundifolia</i> , L.			
132 <i>sylvestris</i> , L.			
133 <i>crispa</i> , L.			
134 <i>Sida spinosa</i> , L.			
135 <i>Napæa</i> , Cav.	50	3 00	
136 <i>Hibiscus Moscheutos</i> , L.	50	3 00	
137 <i>militaris</i> , Cav.	50	3 00	
138 <i>Trionum</i> , L.			
139 <i>Syriacus</i> , L.			
140 <i>Abutilon Avicennæ</i> , Gærtn.			

Tiliaceæ.

141 <i>Tilia Americana</i> , L.	40	2 00	
---	----	------	--

Linaceæ

142 <i>Linum Virginianum</i> , L.			
143 <i>striatum</i> , Walt.			
144 <i>usitatissimum</i> , L.			

Geraniaceæ.

145 <i>Geranium maculatum</i> , L.	20	50	2 50
146 <i>Carolinianum</i> , L.			
147 <i>columbinum</i> , L.			
148 <i>dissectum</i> , L.			
149 <i>pusillum</i> , L.			
150 <i>molle</i> , L.			
151 <i>Erodium cicutarium</i> , L'Her.			
152 <i>Fœrkea proserpinacoides</i> , Willd.			
153 <i>Impatiens pallida</i> , Nutt.			
154 <i>fulva</i> , Nutt.			
155 <i>Oxalis violacea</i> , L.	20	40	2 00
156 <i>Acetosella</i> , L.	20	40	2 00
157 <i>stricta</i> , L.			

Rutaceæ.

158 <i>Xanthoxylum Americanum</i> , Mill.	50	3 00	
159 <i>Xanthoxylum Clava-Herculis</i> , L.	50		

Simarubaceæ.

160 <i>Ailanthus glandulosus</i> , Desf.	25	60	4 00
--	----	----	------

Ilisinææ.

161 <i>Ilex opaca</i> , Ait.	25	60	3 00
162 <i>verticillata</i> , Gray	20	50	2 50
163 <i>lævigata</i> , Gray	30	1 00	

Celastraceæ.

164 <i>Celastrus scandens</i> , L.	25	60	3 00
165 <i>Euonymus atropurpureus</i> , Jacq.	25	75	3 50
166 <i>Americanus</i> , L.	25	75	3 50

Vitaceæ.

Order by Name or Number.	Price Per 10	Per 100	Per 1000
167 <i>Vitis Labrusca</i> , L.	25	75	3 50
168 <i>aestivalis</i> , Michx.	25	60	3 00
169 <i>cordifolia</i> , Michx.	30	1 00	
170 <i>riparia</i> , Michx.	30	1 00	
171 <i>Ampelopsis quinquefolia</i> , Michx.	2	20	50

Sapendaceæ.

172 <i>Staphylea trifolia</i> , L.	20	40	2 50
173 <i>Acer saccharinum</i> , Wang.	25	60	4 00
174 <i>dasycarpum</i> , Ehrh.	30	1 00	
175 <i>rubrum</i> , L.	25	50	3 00
176 <i>Negundo aceroides</i> , Moench.	30	1 00	

Rhamnaceæ.

177 <i>Ceanothus Americanus</i> , L.	25	75	3 50
--	----	----	------

Polygalaceæ.

178 <i>Polygala incarnata</i> , L.			
179 <i>sanguinea</i> , L.			
180 <i>Nuttallii</i> , Torr & Gray			
181 <i>cruciata</i> , L.			
182 <i>verticillata</i> , L.			
183 <i>ambigua</i> , Nutt.			
184 <i>paucifolia</i> , Willd.	30	1 00	
185 <i>Senega</i> , L.	30	1 00	

Anacardiaceæ.

186 <i>Rhus typhina</i> , L.	25	60	3 50
187 <i>glabra</i> , L.	25	60	3 50
188 <i>copallina</i>	25	60	3 50
189 <i>venenata</i> , DC.	40	1 75	
190 <i>Toxicodendron</i>	40	1 75	

Leguminosæ.

191 <i>Lupinus perennis</i> , L.		50	
192 <i>Crotalaria sagittalis</i> , L.			
193 <i>Trifolium arvense</i> , L.			
194 <i>pratense</i> , L.			
195 <i>repens</i> , L.	15	40	1 50
196 <i>agrarium</i> , L.			
197 <i>procumbens</i> , L.			
198 <i>Melilotus officinalis</i> , Willd.			
199 <i>alba</i> , Lam.			
200 <i>Medicago sativa</i>			
201 <i>Robinia Pseudacacia</i> , L.	30	1 00	6 00
202 <i>Lespedeza procumbens</i> , Michx.	20	40	2 00
203 <i>reticulata</i> , Pers.	20	40	2 00
204 <i>Stuvei</i> , Nutt.	25	50	2 50
205 <i>Var. intermedia</i> ,			
<i>Watson</i>	25	50	2 50
206 <i>angustifolia</i> , Ell.	20	40	2 00
207 <i>violacea</i> , Pers.	20	40	2 00
208 <i>polystachya</i> , Michx.	25	50	2 50
209 <i>divergens</i> , Pursh	25	50	2 50
210 <i>capitata</i> , Michx.	25	50	2 50
211 <i>Medicago lupulina</i> , L.			
212 <i>Tephrosia Virginiana</i> , Pers.	25	60	4 00
213 <i>Desmodium nudiflorum</i> , DC.	20	50	3 50
214 <i>acuminatum</i> , DC.	20	50	3 50
215 <i>rotundifolium</i> , DC.	20	50	3 50
216 <i>canescens</i> , DC.	20	50	3 50
217 <i>cuspidatum</i> , T.&G.	20	50	3 50
218 <i>Dillenii</i> , Darlingt.	20	50	3 50
219 <i>paniculatum</i> , DC.	20	50	3 50
220 <i>Canadense</i> , DC.	20	50	3 50
221 <i>sessilifolium</i> , T.&G.	20	50	3 50
222 <i>rigidum</i> , DC.	20	50	3 50
223 <i>ciliare</i> , DC.	20	50	3 50
224 <i>Marilandicum</i> , F.			
<i>Boott</i>	20	50	3 50
225 <i>Stylosanthes elatior</i> , Swartz	15	40	1 50
226 <i>Vicia Caroliniana</i> , Walt.	20	50	2 00
227 <i>Americana</i> , Muhl.			
228 <i>Cracca</i> , L.			
229 <i>Lathrus palustris</i> , l.			
230 <i>Var. myrtifolius</i> , Gray	25	50	
231 <i>Vicia sativa</i> , L.			
232 <i>Apios tuberosa</i> , Moench,	50	40	2 00

Order by Name or Number.	Price Per 10	Per 100	Per 1000
233 Phaseolus perennis, Walt.	20	40	2 00
234 Strophostyles angulosa, Ell.			
235 Clitoria Mariana, L.			
236 Galactia glabella, Michx.			
237 Baptisia tinctoria, R. Br.	25	60	3 50
238 Cercis Canadensis, L.	25	1 00	6 00
239 Cassia Marilandica, L.	25	60	3 50
240 nictitans, L.			
241 Chamaecrista, L.			
242 Amphicarpæa monoica, Nutt.	20	40	2 00
243 Gleditschia triacanthos, L.	50	3 00	

Rosaceæ.

244 Prunus Americana, Marshall	25	75	5 00
245 pumila, L.	30	1 00	
246 Virginiana, L.	30		
247 Pennsylvanica, L. f.	30		
248 serotina, Ehrh.	25	75	5 00
249 Spiræa salicifolia, L.	25	50	2 50
250 tomentosa, L.	40		
251 lobata, Jacq.	40		
252 Physocarpus opulifolius, Maxim.	30	1 00	
253 Gillenia trifoliata, Moench.	25	60	
254 Poterium Canadense, B. & H.	25	75	
255 Agrimonia Eupatoria, L.	20	50	3 00
256 parviflora, Ait.	25	60	
257 Geum album, Gmelin,	20	40	2 00
258 Virginianum, L.	20	40	2 00
259 Potentilla Norvegica, L.			
260 Canadensis, L.	20	40	2 00
261 arguta, Pursh.	30		
262 Fragaria Virginiana, Mill.	15	40	2 00
263 vesca, L.	25	60	
264 Rubus odoratus, L.	25	60	4 00
265 strigosus, Michx.	30	75	
266 occidentalis, L.	25	50	2 00
267 villosus, Ait.	20	40	2 00
268 villosus, var. frondosus, Torr.			
269 Canadensis, L.	20	40	2 00
270 hispidus, L.	20	40	2 00
271 cuneifolius, Pursh.	25	50	2 50
272 Rosa Carolina, L.	30	75	5 00
273 lucida, Ehrh.	30	75	5 00
274 rubiginosa, L.	40	1 00	
275 Cratægus coccinea, L.	40	1 00	7 00
276 tomentosa, L.	40	1 00	7 00
277 punctata, L., Jacq.	40	1 00	7 00
278 Crus-galli, L.			
279 Pyrus coronaria, L.			
280 arbutifolia, L. f.	25	60	3 50
281 Var. melanocarpa, Hook.			
282 Amelanchier Canadensis, T. & G.	25	75	4 00
283 Var. oblongifolia, T. & G.	50		

Saxifragaceæ.

284 Ribes oxacanthoides, L.			
285 floridum, L'Hec.	25	75	
286 Hydrangea arborescens, L.	20	40	2 00
287 Saxifraga Virginiensis, Michx.	15	40	2 00
288 Pennsylvanica, L.	30	1 00	
289 Heuchera Americana, L.	20	50	2 00
290 pubescens, Pursh.			
291 Mitella diphylla, L.	20	40	2 00
292 Chrysoplenium Americanum, Schwein			

Crasulaceæ.

293 Penthorum sedoides, L.	25	60	3 00
294 Sedum ternatum, Michx.	15	40	2 00
295 Telephium, L.	25	60	3 00

Hamamelideæ.

296 Hamamelis Virginiana, L.	25	75	4 00
--------------------------------------	----	----	------

Droseraceæ.

297 Drosera rotundifolia, L.	20	40	2 00
--------------------------------------	----	----	------

Haloraceæ.

Order by Name or Number.	Price Per 10	Per 100	Per 1000
298 <i>Callitriche verna</i> , L.	15	40	2 00

Melastomaceæ.

299 <i>Rhexia Virginica</i> , L.	20	40	2 00
--	----	----	------

Lythraceæ.

300 <i>Rotala ramosior</i> , Koehne . . .			
301 <i>Cuphea viscosissima</i> , Jacq. . .			
302 <i>Decodon verticillatus</i> , Ell. . .	50		

Onograceæ.

303 <i>Circæa Lutetiana</i> , L.	15	40	1 50
304 <i>alpina</i> , L.	20	50	
305 <i>Gaura biennis</i> , L.			
306 <i>Epilobium angustifolium</i> , L. . .	25		
307 <i>lineare</i> , Muhl.	25		
308 <i>strictum</i> , Muhl.	25		
309 <i>coloratum</i> , Muhl.	20	40	2 00
310 <i>Ceanothera biennis</i> , L.			
311 <i>fruticosa</i> , L.	20	40	2 00
312 <i>pumila</i> , L.			
313 <i>Ludwigia alternifolia</i> , L. . . .	25	50	2 50
314 <i>palustris</i> , Ell.	25	50	2 50

Passifloraceæ.

315 <i>Passiflora lutea</i> , L.		30	2 00
--	--	----	------

Cucurbitaceæ.

316 <i>Sicyos angulatus</i> , L.			
317 <i>Echinocystis lobata</i> , Torr & Gray			

Cactaceæ.

318 <i>Opuntia vulgaris</i> , Mill.			
---	--	--	--

Ficoideæ.

319 <i>Mollugo verticillata</i> , L.			
--	--	--	--

Umbelliferae.

320 <i>Daucus Carota</i> , L.			
321 <i>Angelica hirsuta</i> , Muhl.	30	75	
322 <i>atropurpurea</i> , L.	30	75	
323 <i>Tiedemannia rigida</i> , Coult. & Rose			
324 <i>Heracleum lanatum</i> , Michx. . .	50		
325 <i>Pastinaca sativa</i> , L.			
326 <i>Thaspium aureum</i> , Nutt.			
327 <i>trifoliatum</i> , Gray	25	75	
328 <i>barbinode</i> , Nutt.			
329 <i>Pimpinella integerrima</i> , B. & H. .	25	75	
330 <i>Anthriscus Cerefolium</i> , Hoffm. .			
331 <i>Bupleurum rotundifolium</i> , L. . .			
332 <i>Cryptotaemia Canadensis</i> , DC. .	20	40	1 50
333 <i>Sium cicutæfolium</i> , Gmelin. . .	25		
334 <i>Cicuta maculata</i> , L.	25	50	2 00
335 <i>bulbifera</i> , L.	25	50	2 00
336 <i>Chærophyllum procumbens</i> , Crantz			
337 <i>Sanicula Marylandica</i> , L. . . .	20	50	
338 <i>Var. Canadensis</i> , Torr. . .			
339 <i>Hydrocotyle ranunculoides</i> , L. f. .			
340 <i>Americana</i> , L.			
341 <i>Osmorrhiza brevistylis</i> , DC. . .	20		
342 <i>longistylis</i> , DC.	20		

Araliaceæ.

343 <i>Aralia spinosa</i> , L.			
344 <i>racemosa</i> , L.	25	60	3 00
345 <i>hispida</i> , Vent.	30	1 00	
346 <i>trifolia</i> , Decsne. & Planch. .	20	40	1 50
347 <i>quinquefolia</i> , Decsne & Planch.	25	75	5 00

Cornaceæ.

348 <i>Cornus Canadensis</i> , L.			
349 <i>florida</i> , L.	25	60	5 00
350 <i>sericea</i> , L.	25	60	5 00
351 <i>alternifolia</i> , L. f.	25	75	5 50
352 <i>paniculata</i> , L'Her.			
353 <i>circinata</i> , L'Her.			
354 <i>Nyssa sylvatica</i> , Marsh.	30	1 00	6 00

Caprifoliaceæ.

Order by Name or Number.	Price Per 10	Per 100	Per 1000
355 <i>Lonicera sempervirens</i> , Ait.			
356 <i>glauca</i> ; Hill			
357 <i>grata</i> , Ait.	20	40	1 50
358 <i>Symphoricarpos racemosus</i> , Michx.	25	75	5 00
359 <i>Diervilla trifida</i> , Moench.	25	75	5 00
360 <i>Triosteum perfoliatum</i> , L.	25	60	4 00
361 <i>angustifolium</i> , L.			
362 <i>Sambucus racemosa</i> , L.	40	1 75	10 00
363 <i>Canadensis</i> , L.	25	50	3 00
364 <i>Viburnum Lentago</i> , L.			
365 <i>prunifolium</i> , L.	25	75	6 00
366 <i>nudum</i> , L.	30	1 25	7 00
367 <i>dentatum</i> , L.	25	75	5 00
368 <i>acerifolium</i> , L.	20	40	3 00

Rubiaceæ.

369 <i>Galium Aparine</i> , L.			
370 <i>asprellum</i> , Michx.			
371 <i>concinnum</i> , Torr. & Gray			
372 <i>trifidum</i> , L., var. <i>tinc-</i> <i>torium</i> , Gray			
373 <i>triflorum</i> , Michx.			
374 <i>pilosum</i> , Ait.			
375 <i>circæans</i> , Michx.	20	40	1 50
376 <i>lanceolatum</i> , Torr.			
377 <i>boreale</i> , L.			
378 <i>Diodia teres</i> , Walt.			
379 <i>Oldenlandia glomerata</i> , Michx.			
380 <i>Cephalanthus occidentalis</i> , L.	30	75	5 00
381 <i>Mitchella repens</i> , L.	15	35	1 00
382 <i>Houstonia purpurea</i> , L., var. <i>longifolia</i> , Gray	20	40	1 25
383 <i>caerulea</i> , L.	15	35	1 00
384 <i>Sherardia arvenis</i> , L.			

Valerianaceæ.

385 <i>Valeriana pauciflora</i> , Michx.	30	1 00	
386 <i>olitoria</i> , Poll.			
387 <i>radiata</i> , Dufr.			

Dipsacæ.

388 <i>Dipsacus sylvestris</i> , Mill.			
--	--	--	--

Compositæ.

389 <i>Elephantopus Carolinianus</i> , Willd.	25	50	
390 <i>Vernonia noveboracensis</i> , Willd.	25	50	
391 <i>Mikania scandens</i> , L.	25	50	
392 <i>Eupatorium purpureum</i> , L.	25	50	
393 <i>hyssopifolium</i> , L.	25	50	
394 <i>teucritolium</i> , Willd.	25	50	
395 <i>rotundifolium</i> , L.	25	50	
396 <i>sessilifolium</i> , L.	25	50	
397 <i>perfoliatum</i> , L.	20	40	
398 <i>ageratoides</i> , L.	20	40	
399 <i>cœlestinum</i> , L.	20	40	
400 <i>aromaticum</i> , L.			
401 <i>Kuhnia eupatorioides</i> , L.			
402 <i>Liatris spicata</i> , Willd.	20	40	2 50
403 <i>Chrysopsis Mariana</i> , Nutt.			
404 <i>Solidago bicolor</i> , L.	20	40	2 50
405 <i>latifolia</i> , L.	20	40	2 50
406 <i>cæsia</i> , L.	20	40	2 50
407 <i>humilis</i> , Pursh.	20	40	2 50
408 <i>neglecta</i> , Torr. & Gray	20	40	2 50
409 <i>patula</i> , Muhl.	20	40	2 50
410 <i>arguta</i> , Ait.	20	40	2 50
411 <i>juncea</i> , Ait.	20	40	2 50
412 <i>rugosa</i> , Mill.	20	40	2 50
413 <i>ulmifolia</i> , Muhl.	20	40	2 50
414 <i>odora</i> , Ait.	20	40	2 50
415 <i>nemoralis</i> , Ait.	20	40	2 50
416 <i>Canadensis</i> , L.	20	40	2 50
417 var. <i>procera</i> , T & Gray	20	40	2 50
418 <i>serotina</i> , Ait.	20	40	2 50
419 <i>gigantea</i> , Ait.	20	40	2 50
420 <i>lanceolata</i> , L.	20	40	2 50
421 <i>tenuifolia</i> , Pursh.	20	40	2 50

Order by Name or Number.	Price Per 10	Per 100	Per 1000
422 <i>Boltonia glastifolia</i> , L'Her.	25	50	
423 <i>Sericocarpus conyzoides</i> , Nees	25	50	
424 <i>solidagineus</i> , Nees	25	50	
425 <i>Aster corymbosus</i> , Ait.	25	40	2 00
426 <i>macrophyllus</i> , L.	25	50	2 00
427 <i>radula</i> , Ait.			
428 <i>patens</i> , Ait.	25	50	2 00
429 Var. <i>phlogifolius</i> , Nees.			
430 <i>lævis</i> , L.	25	50	
431 <i>undulatus</i> , L.	25	50	2 00
432 <i>cordifolius</i> , L.	25	50	2 00
433 <i>ericoides</i> , L.	25	50	2 00
434 Var. <i>villosus</i> , Torr. & G.			
435 Var. <i>pusilis</i> , Gray			
436 Var. <i>gracilis</i>			
437 <i>multiflorus</i> , Ait.	25	50	2 00
438 <i>dumosus</i> , L.	25	50	2 00
439 <i>vimineus</i> , Lam.	25	50	2 00
440 <i>diffusus</i> , Ait.	25	50	2 00
441 <i>paniculatus</i> , Lam.	25	50	2 00
442 <i>puniceus</i> , L.	25	50	2 00
443 <i>prenanthoides</i> , Muhl.	25	50	2 00
444 <i>Novæ-Angliæ</i> , L.	25	50	2 00
445 <i>linariifolius</i> , L.	25	50	2 00
446 <i>umbellatus</i> , Mill.	25	50	2 00
447 Var. <i>latifolius</i> , Gray			
448 <i>infirmus</i> , Michx.	25	50	2 00
449 <i>Erigeron Canadensis</i> , L.			
450 <i>bellidifolius</i> , Muhl	20	40	1 50
451 <i>Philadelphicus</i> , L.	20	40	1 50
452 <i>annuus</i> , Pers.			
453 <i>strigosus</i> , Muhl.			
454 <i>Bacharis halimifolia</i> , L.			
455 <i>Filago Germanica</i> , L.			
556 <i>Anaphalis margaritacea</i> B'th&H			
457 <i>Antennaria plantaginifolia</i> , H.			
458 <i>Gnaphalium polycephalum</i> , Mx.			
459 <i>uliginosum</i> , L.			
460 <i>purpureum</i> , L.			
461 <i>Inula Helenium</i> , L.			
462 <i>Polymnia Canadensis</i> , L.			
463 <i>Uvedalia</i> , L.			
464 <i>Silphium trifoliatum</i> , L.	30	60	
465 <i>perfoliatum</i> , L.	30	60	
466 <i>Chrysogonum Virginianum</i> , L.			
467 <i>Ambrosia trifida</i> , Y.			
468 Var. <i>Integrifolia</i> ,			
Torr. & Gray			
469 <i>artemesiæfolia</i> L.			
470 <i>Xanthium spinosum</i> , L.			
471 <i>strumarium</i> , L.			
472 <i>Eclipta alba</i> , Hassk.			
473 <i>Heliopsis lævis</i> , Pers.	30		
474 <i>Rudbeckia laciniata</i> , L.			
475 <i>hirta</i> , L.			
476 <i>fulgida</i> , Ait.			
477 <i>Helianthus giganteus</i> , L.			
478 <i>strumosus</i> , L.	25	60	
479 Var. <i>mollis</i> , T. & G.			
480 <i>divaricatus</i> , L.	25	50	
481 <i>decapetalus</i> , L.			
482 <i>tuberosus</i> , L.	25	50	
483 <i>doronicoides</i> , Lam.			
484 <i>Actinomeris squarrosa</i> , Nutt.	20	40	1 50
485 <i>Coreopsis tripteris</i> , L.	30	60	
486 <i>Bidens frondosa</i> , L.			
487 <i>connata</i> , Muhl.			
488 <i>cernua</i> , L.			
489 <i>bipinnata</i> , L.			
490 <i>chrysanthemoides</i> , Mx.			
491 <i>Helenium autumnale</i> , L.	25	50	
492 <i>Anthemis Cotula</i> , DC.			
493 <i>arvensis</i> , L.			
494 <i>Achillea Millefolium</i> , L.	20	40	1 50
495 <i>Chrysanthemum Leucanthemum</i> , L.	15	30	1 00
496 <i>Parthenium</i> ,			
Pers.	20	40	1 50

Order by Name or Number.	Price Per 10	Per 100	Per 1000
497 <i>Tanacetum vulgare</i> , L.	20	40	1 50
497½ Var. <i>crispum</i>	20	40	1 50
498 <i>Arnica nudicaulis</i> , Nutt.			
499 <i>Senecio aureus</i> , L., var. <i>obovatus</i> Torr. & Gray	20		
500 Var. <i>Balsamitæ</i> , Torr. & Gray	20	40	1 00
501 <i>aureus</i> , L.	20	40	1 25
502 <i>Cacalia suaveolens</i> , L.	25	50	2 00
503 <i>reniformis</i> , Muhl.	40	75	
504 <i>atriplicifolia</i> , L.	25	50	
505 <i>Erectites hieracifolia</i> , Raf.			
506 <i>Arctium Lappa</i> , L.			
507 <i>Cnicus lanceolatus</i> , Hoffm.			
508 <i>altissimus</i> , Willd.			
509 var. <i>discolor</i> , Gray.			
510 <i>muticus</i> , Pursh.			
511 <i>pumilus</i> , Torr.			
512 <i>horridulus</i> , Pursh			
513 <i>arvensis</i> , Hoffm.			
514 <i>Centaurea Cyanus</i> , L.			
515 <i>Krigia Virginica</i> , Willd.			
516 <i>amplexicaulis</i> , Nutt.	25	50	
517 <i>Cichorium Intybus</i> , L.	20	50	2 50
518 <i>Hieracium scabrum</i> , Michx.	20	40	
519 <i>Gronovii</i> , L.	20	40	
520 <i>venosum</i> , L.	20	40	
521 <i>paniculatum</i> , L.	20	40	
522 <i>Prenanthes alba</i> , L.	25	60	
523 <i>altissima</i> , L.	25	60	
524 <i>serpentaria</i> , Pursh.	25	60	
525 <i>Taraxacum officinale</i> , Weber.			
526 <i>Lactuca Canadensis</i> , L.			
527 <i>integrifolia</i> , Bigel			
528 <i>acuminata</i> , Gray			
529 <i>Floridana</i> , Gærtn			
530 <i>leucophæa</i> , Gray			
531 <i>Sonchus oleraceus</i> , L.			
532 <i>asper</i> , Vill.			

Lobeliaceæ.

533 <i>Lobelia cardinalis</i> , L.	20	40	2 00
534 <i>syphilitica</i> , L.	25	50	2 50
535 <i>puberula</i> , Michx.	25	50	
536 <i>inflata</i> , L.	20	40	
537 <i>spicata</i> , Lam.			
538 var. <i>parviflora</i> , Gray			
539 <i>Kalmii</i> , L.			

Campanulaceæ.

540 <i>Specularia perfoliata</i> , A. DC.			
541 <i>Campanula rotundifolia</i> , L.	20	40	2 00
542 <i>aparinoides</i> , Pursh.	20	40	
543 <i>Americana</i> , L.			

Ericaceæ.

544 <i>Gaylussacia dumosa</i> , T. & G.			
545 <i>frondosa</i> , "			
546 <i>resinosa</i> , "			
547 <i>Vaccinium macrocarpon</i> , Ait.			
548 <i>staminium</i> , L.	25	50	3 00
549 <i>Pennsylvanicum</i> , Lam	20	40	2 50
550 <i>vacillans</i> , Solander	20	40	2 50
551 <i>Canadense</i> , Kalm.	20	40	2 50
552 <i>corymbosum</i> , L.			
553 var. <i>atrococcum</i> , Gr	25	60	3 00
554 <i>Epigæa repens</i> , L.	20	40	2 00
555 <i>Gaultheria procumbens</i> , L.	20	35	1 75
556 <i>Leucothoe racemosa</i> , Gray	25	60	
557 <i>Andromeda ligustrina</i> , Muhl.	20	40	2 50
558 <i>Mariana</i> , L.	50		
559 <i>Kalmia latifolia</i> , L.	25	60	3 00
560 <i>angustifolia</i> , L.	25	60	3 00
561 <i>Rhododendron viscosum</i> , Torr.	25	60	
562 <i>nudiflorum</i> , T.	20	40	2 50
563 <i>maximum</i> , L.	25	60	3 50
564 <i>Chimaphila umbellata</i> , Nutt.	15	35	1 75
565 <i>maculata</i> , Pursh.	15	35	1 75

Order	by Name or Number.	Price Per 10	Per 100	Per 1000
566	<i>Pyrola rotundifolia</i> , L.	15	30	1 00
567	<i>eliptica</i> , Nutt.	15	30	1 00
568	<i>chlorantha</i> , Swartz	20	40	1 50
569	<i>Monotropa uniflora</i> , L.			
570	<i>Hypopitis</i> , L.			
Primulaceæ.				
571	<i>Dodecatheon media</i> , L.	25	50	
572	<i>Trientalis Americana</i> , Pursh	20	40	
573	<i>Steironema ciliatum</i> , Raf.	25	50	
574	<i>lanceolatum</i> , Gray	25	50	
575	<i>Lysimachia stricta</i> , Ait.	25	50	
576	<i>quadrifolia</i> , L.	20	40	
577	<i>Anagallis arvensis</i> , L.			
578	<i>Samolus Valerandi</i> , L., Var. <i>Americanus</i> , Gray			
Ebenaceæ.				
579	<i>Diospiros Virginiana</i> , L.	30	75	
Oleaceæ.				
580	<i>Fraxinus Americana</i> , L.	25	50	3 00
581	<i>pubescens</i> , Lam.			
582	<i>viridis</i> , Michx. f.			
583	<i>sambucifolia</i> , Lam.			
584	<i>Chionanthus Virginica</i> , L.	30	75	
585	<i>Ligustrum vulgare</i> , L.	30	75	
Apocynaceæ				
586	<i>Apocynum androsæmifolium</i> , L.	20	40	
587	<i>cannabinum</i> , L.	20	40	
Asclepiadaceæ.				
588	<i>Asclepias tuberosa</i> , L.	25	50	
588½	<i>phytolaccoides</i> , Ph.	25	50	
589	<i>rubra</i> , L.	30	1 00	
590	<i>purpurascens</i> , L.	25	50	
591	<i>incarnata</i> , L.	25	50	
592	var. <i>pulchra</i> , Pers			
593	<i>Cornuti</i> , Decaisne	25	50	
594	<i>obtusifolia</i> , Michx.	25	50	
595	<i>variegata</i> , L.	25	50	
596	<i>quadrifolia</i> , L.	25	50	
597	<i>verticillata</i> , L.	25	50	
598	<i>Acerates viridiflora</i> , Ell	25	50	
599	<i>Gonolobus obliquus</i> , R. Br.	25	50	
Gentianaceæ.				
600	<i>Erythæa ramossima</i> , Pers			
601	<i>Sabbatia angularis</i> , Pursh			
602	<i>Gentiana crinita</i> , Frœl.			
603	<i>ochroleuca</i> , Frœl.	30	1 00	
604	<i>Andrewsii</i> , Griseb	25	60	
605	<i>Saponaria</i> , L.	30		
606	<i>Bartonia tenella</i> , Muhl.			
607	<i>Obolaria Virginica</i> , L.	15	35	1 00
608	<i>Menyanthese trifoliata</i> , L.			
Polemoniaceæ.				
609	<i>Phlox paniculata</i> , L.	20	40	
610	<i>maculata</i> , L.	20	40	
611	<i>pilosa</i> , L.			
612	<i>divaricata</i> , L.	15	40	1 00
613	<i>subulata</i> , L.			
614	<i>Polemonium reptans</i> , L.	25	60	
Hydrophyllaceæ.				
615	<i>Hydrophyllum Virginicum</i> , L.	15	35	1 00
616	<i>Canadense</i> , L.	20	40	1 50
617	<i>appendiculatum</i> , Michx.			
618	<i>Ellisia Nyctelea</i> , L.			
619	<i>Phacelia parviflora</i> , Pursh			
Boraginaceæ.				
620	<i>Cynoglossum officinale</i> , L.			
621	<i>Virginicum</i> , Lx.	20	40	
622	<i>Echinospermum Virginicum</i> ,			
	Lehm.			
623	<i>Mertensia Virginica</i> , DC.	20	40	1 50

Order by Name or Number.	Price Per 10	Per 100	Per 1000
624 Myosotis laxa, Lehm.	20	40	
625 verna, Nutt.			
626 Lithospermum arvense, L. . . .			
627 latifolium, Mchx			
628 Onosmodium Virginianum, DC. . .	20	40	
629 Symphytum officinale, L. . . .	25	50	
630 Echium vulgare, L.			

Convolvulaceæ.

631 Ipomœa purpurea, Lam			
632 nil, Roth.			
633 pandurata, Meyer	25	50	
634 lacunosa, L.			
635 Convolvulus spithamæus, L. . .	20	40	
636 sepium, L.	20	40	
637 arvensis, L.	20	40	
638 Cuscuta Epilinum, Weihe			
639 tenuiflora, Englm			
640 chlorocarpa, Engelm.			
641 Gronovii, Willd.			

Solanaceæ.

642 Solanum Dulcamara, L.			
643 nigram, L.			
644 Carolinse, L.	15	35	1 00
645 Physalis Philadelphica, Lam . .			
646 viscosa, L.	20	50	
647 Pennsylvanica, L.			
648 Nicandra physaloides, Gærtm . .			
649 Lysium vulgare, Dunal	30	75	
650 Datura Stramonium, L.			
651 Tatula, L.			

Scrophulariaceæ.

652 Verbascum Thapsus, L.			
653 Blattaria, L.			
654 Lychnitis, L.			
655 Linaria Canadensis, Dumont . .			
656 vulgaris, Mill	15	35	1 00
657 Scrophularia nodosa, L., var.			
Marilandica, G.	25	50	
658 Chelone glabra, L.	25	50	
659 Penstemon pubescens, Sol. . . .	15	35	1 50
660 Minulus ringens, L.	25	50	
661 alatus, Ait.			
662 Gratiola Virginiana, L.			
663 Ilysanthes riparia, Raf.			
664 Veronica Virginica, L.	25	50	
665 Anagallis, L.			
666 Americana, Schweintz			
667 scutellata, L.			
668 officinalis, L.	15	35	1 50
669 serpyllifolia, L.			
670 peregrina, L.			
671 arvensis, L.			
672 agrestis, L.			
673 hederæfolia, L.			
674 Gerardia purpurea, L.			
675 tenuifolia, Vahl.			
676 setacea, Walt.			
677 flava, L.			
678 quercifolia, Pursh.			
679 pedicularia, L.			
680 Castilleia coccinea, Spreng. . .			
681 Pedicularis Canadensis, L. . . .	15	35	1 50
682 lanceolata, Michx.			
683 Melampyrum Americanum, Mx . .			

Orobanchaceæ.

684 Epiphegus Virginiana, Bart . . .			
685 Conopholis Americana, Wall. . .			
686 Aphyllon uniflorum, Gray . . .			

Lentibulariaceæ.

687 Utricularia vulgaris, L.			
688 gibba, L.			

Bignoniaceæ.

689 Tecoma radicans, Juss	30	1 00	
690 Catalpa bignonioides, Walt. . .			

Pedaliaceæ.

Order by Name or Number.

Price Per 10

Per 100

Per 1000

691 *Myrtynia probiscidea*, Glox. . .**Acanthaceæ.**692 *Dianthera Americana*, L. . . . 15 35 1 25**Verbenaceæ.**693 *Verbena officinalis*, L.694 *urticæfolia*, L.695 *hastata*, L. 15 35696 *angustifolius*, Michx. . . . 15 35697 *Lippia lanceolata*, Michx. . . . 20 40698 *Phryma Leptostachya*, L. . . . 20 40**Labiataæ.**699 *Trichostema dichotomum*, L. . .700 *Isenthus cæruleus*, Michx. . .701 *Teucrium Canadense*, L. . . . 15 30 1 00702 *Collinsonia Canadensis*, L. . . 20 40 2 00703 *Mentha viridis*, L. 15 35 2 00704 *rotundifolia*, L. 15 35 2 00705 *piperita*, L. 15 35 2 00706 *sativa*, L.707 *Candensis*, L. 20 40708 *Var. glabrata*, Benth.709 *Lycopus Virginicus*, L. . . . 15 30 2 00710 *Europæus*, L.711 *rubellus*, Moench. . . . 20 40712 *sinuatus*, Ell. 15 30 1 75713 *Cunilla Mariana*, L. 15 30 1 75714 *Pycnanthemum incanum*, Mx. . . 20 40715 *clinopodioides*,*Gray* 20 40716 *muticum*, Pers. . . . 20 40717 *lanceolatum**Pursh* 20 40718 *linifolium*, Pursh 20 40719 *Origanum vulgare*, L.720 *Calamintha Clinipodium*, Benth, . 15 35 1 00721 *Melissa officinalis*, L. 15 35 1 00722 *Hedeoma pulegioides*, Pers . .723 *Salvia lyrata*, L. 15 35 1 00724 *Monarda fistulosa*, L. 15 35 1 00725 *punctata*, L. 15 35 1 00726 *Lophanthus nepetoides*, Benth, . 20 40727 *scrophulariæfolius**Benth.*728 *Nepeta Cataria*, L. 15 35 1 00729 *Glechoma*, Benth. . . . 15 35 1 00730 *Scutellaria lateriflora*, L. . . . 15 35 1 00731 *canescens*, Nutt732 *pilosa*, Michx. . . . 15 35 1 00733 *integrifolia*, L. . . . 15 35 1 00734 *nervosa*, Pursh. . . .735 *parvula*, Michx. . . . 15 35 1 00736 *galericulata*, L. . . .736½ *serrata*, Andrews737 *Brunella vulgaris*, L. 15 35 1 00738 *Physsostegia Virginiana*, Benth.739 *Marrubium vulgare*, L. 15 35 1 00740 *Leonurus Cardiaca*, L. 15 35 1 00741 *Lamium amplexicaule*, L. . . .742 *purpureum*, L.743 *Stachys aspera*, Michx.744 *var. glabra*, Gray**Plantaginaceæ.**745 *Plantago major*, L.746 *lanceolata*, L.747 *Virginica*, L.**Illecebraceæ.**748 *Anychia dichotoma*, Michx. . .749 *Scleranthus annuus*, L.**Amarantaceæ.**750 *Amarantus hypochondriacus*, L.751 *paniculatus*, L. . . .752 *retroflexus*, L. . . .

Order by Name or Number.		Price Per 10	Per 100	Per 1000
753	<i>Amarantus chlorostachys</i> , Willd.			
754	<i>albus</i> , L.			
755	<i>spinosus</i> , L.			
Chenopodiaceæ.				
756	<i>Chenopodium album</i> , L.			
757	<i>Boscianum</i> , Moq.			
758	<i>glaucum</i> , L.			
759	<i>urbicum</i> , L.			
760	<i>hybridum</i> , L.			
761	<i>Botrys</i> , L.			
762	<i>ambrosioides</i> , L.			
763	var. <i>anthelminticum</i> , Gray.			
764	<i>capitatum</i> , Wat.			
Phytolaccaceæ.				
765	<i>Phytolacca decandra</i> , L.	20	40	
Polygonaceæ.				
766	<i>Polygonum orientale</i> , L.			
767	<i>Pennsylvanicum</i> , L.			
768	<i>incarnatum</i> , Ell,			
769	<i>Persicaria</i> , L.			
770	<i>Hydropiper</i> , L.			
771	<i>acre</i> , H. B. K.			
772	<i>hydropiperoides</i> , Mx.			
773	<i>amphibium</i> , L. var. <i>aquaticum</i> , Willd.			
774	<i>Muhlenbergii</i> , Watson	25	50	
775	<i>Virginianum</i> , L.	15	35	
776	<i>aviculare</i> , L.			
777	<i>erectum</i> , L.			
778	<i>tenue</i> , Michx.			
779	<i>arifolium</i> , L.			
780	<i>sagittatum</i> , L.			
781	<i>Convolvulus</i> , L.			
782	<i>dumetorum</i> , L. var. <i>scandens</i> , Gray			
783	<i>Fagopyrum esculentum</i> , Moench			
784	<i>Rumex Britannica</i> , L.	25	60	
785	<i>crispus</i> , L.			
786	<i>obtusifolius</i>			
787	<i>conglomeratus</i> , Murray			
788	<i>Acetosella</i> , L.			
Aristolochiaceæ.				
789	<i>Asarum Canadense</i> , L.	15	35	1 00
790	<i>Aristolochia Serpentina</i> , L.	20	40	2 50
Piperaceæ.				
791	<i>Saururus cernuus</i> , L.	20	40	
Lauraceæ.				
792	<i>Sassafras officinale</i> , Nees.	30	1 00	
793	<i>Lindera Benzoin</i> , Blume.	20	50	2 50
Thymelæaceæ.				
794	<i>Dirca palustris</i> , L.			
Loranthaceæ.				
795	<i>Phoradendron flavescens</i> , Nutt.			
Santalaceæ.				
796	<i>Comandra umbellata</i> , Nutt.			
Euphorbiaceæ.				
797	<i>Euphorbia maculata</i> , L.			
798	<i>hypericifolia</i> , L.			
799	<i>corollata</i> , L.	20	40	2 50
800	<i>Darlingtonii</i> , Gray	25	50	
801	<i>dentata</i> , Michx.			
802	<i>Peplus</i> , L.			
803	<i>commutata</i> , Engelm.			
804	<i>Lathyris</i> , L.			
805	<i>Acalypha Virginica</i> , L.			
806	<i>Phyllanthus Carolinensis</i> , Walt.			

Urticaceæ.

Order by Name or Number.	Price Per 10	Per 100	Per 1000
807 <i>Ulmus fulva</i> , Michx.	30	1 00	
808 <i>Americana</i> , L.	30	1 00	
809 <i>Celtis occidentalis</i> , L.	30	1 00	
810 <i>Cannabis sativa</i> , L.			
811 <i>Humulus Lupulus</i> , L.	30	1 00	
812 <i>Morus rubra</i> , L.	30	1 00	
813 <i>alba</i> , L.	30	1 00	
814 <i>Urtica gracilis</i> , Ait.	20	40	
815 <i>dioica</i> , L.	20	40	2 50
816 <i>Laportea Canadensis</i> , Gaudich.	20	40	2 50
817 <i>Pilea pumila</i> , Gray,			
818 <i>Boehmeria cylindrica</i> , Willd.	20	40	
819 <i>Parietaria Pennsylvanica</i> , Muhl.			

Platanaceæ.

820 <i>Platanus occidentalis</i> , L.	30	1 00	
---	----	------	--

Juglandaceæ.

821 <i>Juglans cineria</i> , L.	30	1 00	
822 <i>nigra</i> , L.	30	1 00	
823 <i>Carya alba</i> , Nutt.			
824 <i>sulcata</i> , Nutt.			
825 <i>tomentosa</i> , Nutt.	30	1 00	
826 <i>microcarpa</i> , Nutt.			
827 <i>porina</i> , Nutt.			
828 <i>amara</i> , Nutt.	30	1 00	

Myricaceæ.

829 <i>Myrica asplenifolia</i> , Endl.	20	40	2 50
--	----	----	------

Cupuliferæ.

830 <i>Betula lenta</i> , L.	20	50	2 50
831 <i>nigra</i> , L.	20	50	2 50
832 <i>Alnus serrulata</i> , Willd.	20	50	
833 <i>Corylus Americana</i> , Walt.	20	50	
834 <i>rostrata</i> , Ait.	20	50	2 00
835 <i>Ostrya Virginica</i> , Willd.	20	50	
836 <i>Carpinus Caroliniana</i> , Walter.	20	50	
837 <i>Quercus alba</i> , L.	20	50	
838 <i>stellata</i> , Wang.	30		
839 <i>bicolor</i> , Willd.	30		
840 <i>Prinus</i> , L.	20	40	2 50
841 <i>Muhlenbergii</i> , Engelm.			
842 <i>prinoides</i> , Willd.	30	1 00	
843 <i>rubra</i> , L.	30	1 00	
844 <i>coccinea</i> , Wang.			
845 <i>tinctoria</i> , Bartram	30		
846 <i>palustris</i> , Du Roi	30		
847 <i>ilicifolia</i> , Wang.	30		
848 <i>nigra</i> , L.			
849 <i>Phellos</i> , L.			
850 <i>Castanea sattivva</i> , Mill. var. <i>Amer-</i> <i>icana</i>	30	75	
851 <i>pumilla</i> , Mill.	30	75	
852 <i>Fagus ferruginea</i> , Ait.	30	75	

Salicaceæ.

853 <i>Salix tristis</i> , Ait.	25	75	
854 <i>humilis</i> , Marsh	55	75	
855 <i>discolor</i> , Muhl.	25	75	
855½ <i>sericea</i> , Marsh	25	75	
856 <i>petiolaris</i> , Smith,	25	75	
857 <i>purpurea</i> , L.			
858 <i>cordata</i> , Muhl.	25	75	
859 Var. <i>myricoides</i> , Gray			
860 <i>lucida</i> , Muhl.	25	75	
861 <i>nigra</i> , Marsh	25	75	
862 Var. <i>falcata</i> , Torr.			
863 <i>fragilis</i> , L. Var. <i>Russelli-</i> <i>ana</i> , Carey			
864 <i>alba</i> , L.			
865 <i>Populus tremuloides</i> , Michx.	30	75	
866 <i>grandidentata</i> , Michx,	30	75	

Ceratophyllaceæ.

867 <i>Ceratophyllum demersum</i> , L.			
--	--	--	--

Coniferæ.

Order by Name or Number.	Price Per 10	Per 100	Per 1000
868 <i>Pinus Strobus</i> , L.	25	50	2 50
869 <i>rigida</i> , Mill.	30	60	
870 <i>inops</i> , Ait.	20	40	2 50
871 <i>mitis</i> , Michx.			
872 <i>Tsuga Canadensis</i> , Carr.	25	50	3 00
873 <i>Juniperus communis</i> , L.	25	50	
874 <i>Virginiana</i> , L.	25	50	3 00

Hydrocharidaceæ.

875 <i>Valisneria spiralis</i> , L.			
876 <i>Elodea Canadensis</i> , Michx.			

Orchidaceæ.

877 <i>Microstylis ophioglossoides</i> , Nutt.			
878 <i>Liparis liliifolia</i> , Richard	25		2 50
879 <i>Læselii</i> , "			
880 <i>Applextrum hiemale</i> , Nutt.	25	60	3 00
881 <i>Corallohiza innata</i> , R. Br.			
882 <i>odontorhiza</i> , Nutt.			
883 <i>multiflora</i> , Nutt.			
884 <i>Spiranthes cernua</i> , Richard.	25	50	
885 <i>latifolia</i> , Torr.	25	50	
886 <i>præcox</i> , Watson	25	50	
887 <i>gracilis</i> , Bigelow,	25	50	
888 <i>Goodyera pubescens</i> , R. Br.	25	50	
889 <i>Arethusa bulbosa</i> , L.			
890 <i>Calopogon pulchellus</i> , R. Br.			
891 <i>Pogonia ophioglossoides</i> , Nutt.	25	50	
892 <i>pendula</i> , Lindl.	25	50	
893 <i>verticillata</i> , Nutt.	25	50	
894 <i>Orchis spectabilis</i> , L.	25	50	
895 <i>Habenaria tridentata</i> , Hook	25	50	
896 <i>virescens</i> , Spreng,			
897 <i>ciliaris</i> , R. Br.	25	50	
898 <i>lacera</i> , R. Br.			
899 <i>psycodes</i> , Gray			
900 <i>fimbriata</i> , R. Br.			
901 <i>peramœna</i> , Gray,			
902 <i>Cypripedium pubescens</i> , Willd.	25	50	
903 <i>acaule</i> , Ait.	25	50	
904 <i>parviflorum</i> , Salis.			

Hæmodoraceæ.

905 <i>Alerta farinosa</i> , L.	20	40	
---	----	----	--

Iridaceæ.

906 <i>Iris versicolor</i> , L.	25	50	
907 <i>prismatica</i> , Pursh.	25	50	
908 <i>verna</i> , L.			
909 <i>Belamcandia Chinensis</i> , Adans.			
910 <i>Sisyrinchium angustifolium</i> , Mill.	15	35	1 00
911 <i>anceps</i> , Cav.	15	35	1 00

Amaryllidaceæ.

912 <i>Hypoxis erecta</i> , L.	15	35	1 00
913 <i>Narcissus pseudo-narcissus</i> , L.			

Dioscoreaceæ.

914 <i>Dioscorea villosa</i> , L.	25	50	
---	----	----	--

Liliaceæ.

915 <i>Smilax herbacea</i> , L.	30	75	
916 <i>rotundifolia</i> , L.	25	50	
917 <i>glauca</i> , Walt.	25	50	
918 <i>hispida</i> , Muhl.	25	50	
919 <i>Allium tricoccum</i> , Ait.			
920 <i>Shœnoprasum</i> , L.	25	50	
921 <i>cernuum</i> , Roth,	20	40	2 00
922 <i>vineale</i> , L.			
923 <i>Canadense</i> , Kalm.			
924 <i>Ornithogalum umbellatum</i> , L.	15	35	1 00
925 <i>Muscari botryoides</i> , Mill.	15	35	2 00
926 <i>Hemorocallis fulva</i> , L.	15	35	1 00
927 <i>Convallaria majalis</i> , L.			
928 <i>Polygonatum biflorum</i> , Ell.	20	40	
929 <i>giganteum</i> , Dietrich	30	75	
930 <i>Asparagus officinale</i> , L.	30	75	
931 <i>Smilacena racemosa</i> , Desf.	30	75	
932 <i>stellata</i> , Desf.	30	75	

Order by Name or Number.	Price Per 10	Per 100	Per 1000
933 <i>Maianthemum Canadense</i> , Desf.	15	30	1 00
934 <i>Uvularia perfoliata</i> , L.	15	30	1 00
935 <i>Oakesia sessilifolia</i> , Watson . .	15	30	1 00
936 <i>Erythronium Americanum</i> , Ker.	15	30	1 00
937 <i>albidum</i> , Nutt.			
938 <i>Lilium Philadelphicum</i> , L. . . .			
939 <i>superbum</i> , L.	25	60	5 00
940 <i>Canadense</i> , L.	25	60	5 00
941 <i>tigrinum</i> , Ker.			
942 <i>Medeola Virginiana</i> , L.	15	35	2 50
943 <i>Trillium grandiflorum</i> , Salisb. .	15	35	2 50
944 <i>cernuum</i> , L.	15	35	2 50
945 <i>erectum</i> , L.	15	35	2 50
946 <i>Chamælririum Carolinianum</i>			
<i>Willd.</i> ,	25	60	5 00
947 <i>Melanthium Virginicum</i> , L. . .	25	60	
948 <i>Veratrum viride</i> , Ait.	25	60	
949 <i>Stenanthium angustifolium</i> , Gray	30		
950 <i>Amianthium muscætoxicum</i> , "	30	1 00	7 00

Pontederiaceæ.

951 <i>Pontederia Cordata</i> , L.	30	1 00	
952 <i>Heteranthera reniformis</i> , Ruis.			
& Pav.	30	1 00	
952½ <i>graminea</i> , Vahl.			

Xyridaceæ.

953 <i>Xyris flexuosa</i> , Muhl.	15	35	2 00
---	----	----	------

Commelinaceæ.

954 <i>Commelina erecta</i> , L.	15	30	2 00
955 <i>Virginica</i> , L.	15	30	2 00
956 <i>Tradescantia Virginica</i> , L. . .	15	30	2 00

Juncaceæ.

a937 <i>Juncus effusus</i> , L.			
a938 <i>Var. conglomeratus</i> ,			
Engelm.			
a939 <i>Balticus</i> , Dethard			
a940 <i>marginatus</i> , Rostk. . . .			
a941 <i>bufonius</i> , L.			
a942 <i>tenuis</i> , Willd.			
a943 <i>Var. secundus</i> , Englm.			
a944 <i>acuminatus</i> , Michx., var.			
<i>debilis</i> , Englm.			
a945 <i>Var. legitimus</i> , Engl.			
a946 <i>Var. fraternus</i> , "			
a947 <i>nodosus</i> , L.			
a948 <i>scirpoides</i> , Lam., var.			
<i>macrostemon</i> , Engel.			
a949 <i>Canadensis</i> , J. Gay., var.			
<i>longicaudatus</i> , Engelm.			
a950 <i>Var. subcaudatus</i> , Engl			
a951 <i>Var. brachycephalus</i> , "			
a952 <i>Luzula vernalis</i> , DC.			
a953 <i>campestris</i> , DC.			

Typhaceæ.

a954 <i>Typha latifolia</i> , L.	25	60	4 00
a955 <i>angustifolia</i> , L.	25	60	4 00
a956 <i>Sparganium eurycarpum</i> , Engl.			
957 <i>simplex</i> , Hudson,			
var. <i>Nuttallii</i> .			
Gray			
958 <i>Var. Andracladum</i>			
Gray			

Araceæ.

959 <i>Arisæma triphyllum</i> , Torr. . .	15	35	2 50
960 <i>Dracontium</i> , Schott. . .	25	50	3 00
961 <i>Symplocarpus foetidus</i> , Salisb,	25	50	3 00
962 <i>Orontium aquaticum</i> , L.			
963 <i>Acorus Calamus</i> , L.	15	35	2 00

Lemnaceæ.

964 <i>Lemna trisulca</i> , L.			
965 <i>Minor</i> L.			
966 <i>Spirodella polyrrhiza</i> , Schleid.			

Alismaceæ.

Order by Name or Number.	Price Per 10	Per 100	Per 1000
967 <i>Alisma Plantago</i> , L. var. <i>Americanum</i> , Gray . . .			
968 <i>Sagittaria variabilis</i> , Engelm.			
969 <i>heterophylla</i> , Pursh			

Najasæ.

970 <i>Potamogeton natans</i> , L. . . .			
971 <i>Pennsylvanicus</i> , Cham. . . .			
972 <i>hybridus</i> , Michx.			
973 <i>fluitans</i> , Roth. . . .			
974 <i>gramineus</i> , L. . . .			
975 <i>perfoliatus</i> , L. . . .			
976 <i>crispus</i> , L. . . .			
977 <i>compressus</i> , L. . . .			
978 <i>obtusifolius</i> , Mertens & Koch . . .			
979 <i>pauciflorus</i> , Pursh			
980 <i>pusillus</i> , L. . . .			
981 <i>pectinatus</i> , L. . . .			
982 <i>Robinsii</i> , Oakes . . .			
983 <i>Najas flexilis</i> , All.			

Cyperiferæ.

984 <i>Cyperus flavescens</i> , L.			
985 <i>diandrus</i> , Torr.			
986 <i>aristatus</i> , Rottb.			
987 <i>dentatus</i> , Torr.			
988 <i>esculentus</i> , L.			
989 <i>strigosus</i> , L.			
990 <i>filiculmis</i> , Vahl.			
991 <i>Lancastriensis</i> , ⁸⁸ Porter			
992 <i>ovularis</i> , Torr.			
992½ <i>virens</i> , Michx. ¹¹			
993 <i>Dulichium spathaceum</i> , Pers.			
994 <i>Eleocharis ovata</i> , R. Br.			
995 <i>palustris</i> , R. Br.			
996 <i>intermedia</i> , Schultes			
997 <i>tenuis</i> , "			
998 <i>acicularis</i> , R. Br.			
999 <i>Scirpus planifolius</i> , Muhl.			
1000 <i>pungens</i> , Vahl.			
1001 <i>lacustris</i> , L.			
1002 <i>debilis</i> , Pursh.			
1003 <i>fluviatilis</i> , Gray.			
1004 <i>atrovirens</i> , Muhl.			
1005 <i>polyphyllus</i> , Vahl,			
1006 <i>Eriophorum cyperinum</i> , L. . . .			
1007 <i>Virginicum</i> , L.			
1008 <i>Rhynchospora cymosa</i> , Nutt. . .			
1009 <i>alba</i> , Vahl.			
1010 <i>capillaceæ</i> , Torr.			
1011 <i>glomerata</i> , Vahl.			
1012 <i>Cladium mariscoides</i> , Torr. . . .			
1013 <i>Scleria triglomerata</i> , Michx. . .			
1014 <i>Torryana</i> , Walpers			
1015 <i>pauciflora</i> , Muhl.			
1016 <i>verticillata</i> , Muhl.			
1017 <i>Fimbristylis laxa</i> , Vahl.			
1018 <i>autumnalis</i> , Roem & Schult.			
1019 <i>capillaris</i> , Gray,			
1020 <i>Carex aquatilis</i> , Wahl.			
1021 <i>Backii</i> , Boott.			
1022 <i>cephaloidea</i> , Dewey,			
1023 <i>cephalophora</i> , Muhl.			
1024 <i>conoidea</i> , Schkuhr.			
1025 <i>comosa</i> , Boott.			
1026 <i>crinita</i> , Lam.			
1027 <i>cristata</i> , Schwein,			
1028 <i>bromoides</i> , "			
1029 <i>bullata</i> , "			
1030 <i>Davisii</i> , Schwein & Torr.			
1031 <i>debilis</i> , Michx., var. <i>Rudgei</i> , Bailey			
1032 <i>Var. pubera</i> , Gray			
1033 <i>digitalis</i> , Willd.			

Order by Name or Number.	Price Per 10	Per 100	Per 1000
1034 <i>Carex folliculata</i> , L.			
1035 <i>fusca</i> , All.			
1036 <i>gracillima</i> , Schwein.			
1037 <i>granularis</i> , Muhl.			
1038 <i>grisea</i> , Wahl.			
1039 <i>glaucodea</i> , Tuckerm.			
1040 <i>Hitchcockiana</i> , Dewey			
1041 <i>glabra</i> , Boott.			
1042 <i>lupulina</i> , Muhl.			
1043 <i>lurida</i> , Wahl.			
1044 <i>laxiculmis</i> , Schwein.			
1045 <i>laxiflora</i> , Lam.			
1046 <i>Var. blanda</i> , Boott.			
1047 <i>latifolia</i> , "			
1048 <i>patulifolia</i> , Carey			
1049 <i>striatula</i> , "			
1050 <i>styloflexa</i> , Boott			
1051 <i>lanuginosa</i> , Michx.			
1052 <i>intumescens</i> , Rudge			
1053 <i>communis</i> , Bailey			
1054 <i>foenia</i> , Willd.			
1055 <i>prasina</i> , Wahl.			
1056 <i>torta</i> , Boott.			
1057 <i>monile</i> , Tuckerm.			
1058 <i>hystericina</i> , Muhl.			
1059 <i>squarrosa</i> , L.			
1060 <i>scabrata</i> , Schwein			
1061 <i>vestita</i> , Willd.			
1062 <i>stricta</i> , Lam.			
1063 <i>Var. strictior</i> , Boott.			
1064 <i>virescens</i> , Muhl.			
1065 <i>Var. Costata</i> , Dewey			
1066 <i>iriceps</i> , Michx., <i>var. hirsuta</i> , Bailey			
1067 <i>Var. Smithii</i> , Porter			
1068 <i>arctata</i> , Boott.			
1069 <i>oligocarpa</i> , Schkuhr.			
1070 <i>platyphylla</i> , Carey			
1071 <i>pedunculata</i> , Muhl.			
1072 <i>varia</i> , Muhl.			
1073 <i>Novæ-Angliæ</i> , Schw.			
1074 <i>Pennsylvanica</i> , Lam.			
1075 <i>umbellata</i> , Schkuhr.			
1076 <i>pubescens</i> , Muhl.			
1077 <i>Jamesii</i> , Schwein.			
1078 <i>polytrichoides</i> , Muhl.			
1079 <i>polymorpha</i> , Muhl.			
1080 <i>stipata</i> , Muhl.			
1081 <i>teretiuscula</i> , Good., <i>var. major</i> , Koch.			
1082 <i>vulpinoidea</i> , Michx.			
1082½ <i>trichocarpa</i> , Muhl.			
1083 <i>rosea</i> , Schkuhr.			
1084 <i>retroflava</i> , Muhl.			
1085 <i>sparganioides</i> , Muhl.			
1086 <i>Muhlenbergii</i> , Schkuhr.			
1087 <i>echnata</i> , Murray, <i>var. cephalantha</i> , Bailey			
1088 <i>Var. microstachys</i> , Boeckl.			
1089 <i>tribuloides</i> , Wahl.			
1090 <i>scoparia</i> , Schkuhr.			
1091 <i>straminea</i> , Willd.			
1092 <i>Var. brevior</i> , Dewey			
1093 <i>aperta</i> , Boott.			
1094 <i>Wildenovii</i> , Schkuhr.			

Fifty species of this order will be carefully selected true to name and packed in damp moss, etc., for \$2.00

Gramineæ.

1095	<i>Spartina cynosuroides</i> , Willd.
1096	<i>Paspalum setaceum</i> , Michx.
1097	<i>laeve</i> , Michx.
1098	<i>Panicum filiforme</i> , L.
1099	<i>glabrum</i> , Gaudin.
1100	<i>sanguinale</i> , L.
1101	<i>proliferum</i> , Lam.
1102	<i>capillare</i> , L.

Order by Name or Number.	Price Per 10	Per 100	Per 1000
1103 <i>Panicum anceps</i> , Michx.			
1104 <i>agrostoides</i> , Muhl.			
1105 <i>virgatum</i> , L.			
1106 <i>latifolium</i> , L.			
1107 <i>clandestinium</i> , L.			
1108 <i>microcarpon</i> , Muhl.			
1109 <i>depauperatum</i> , Muhl.			
1110 <i>dichotomum</i> , L.			
1111 <i>scoparium</i> , Lam.			
1112 <i>Crus-galli</i> , L.			
1113 <i>Setaria verticillata</i> , Beauv.			
1114 <i>glauc</i> a, Beauv.			
1115 <i>viridis</i> , Beauv.			
1116 <i>Italica</i> , Runth.			
1117 <i>Cenchrus tribuloides</i> , L.			
1118 <i>Leersia oryzoides</i> , Swartz.			
1119 <i>Virginica</i> , Willd.			
1120 <i>Zizania aquatica</i> , L.			
1121 <i>Tripsacum dactyloides</i> , L.			
1122 <i>Andropogon, furcatus</i> , Muhl.			
1123 <i>scoparius</i> , Michx.			
1124 <i>Virginicum</i> , L.			
1125 <i>Chrysopogon nutans</i> , Benth.			
1126 <i>Phalaris Canariensis</i> , L.			
1127 <i>arundinacea</i> , L.			
1128 <i>Anthoxanthum odoratum</i> , L.			
1129 <i>Aristida dichotoma</i> , Michx.			
1130 <i>gracilis</i> , Ell.			
1131 <i>purpuascens</i> , Poir.			
1132 <i>Stipa avenacea</i> , L.			
1133 <i>Oryzopsis melanocarpa</i> , Muhl.			
1134 <i>Muhlenbergia sobolifera</i> , Trin.			
1135 <i>glomerata</i> , Trin.			
1136 <i>Mexicana</i> , Trin.			
1137 <i>sylvatica</i> , T.&G.			
1138 <i>Willdenovii</i> , Trin.			
1139 <i>diffusa</i> , Schreb'r			
1140 <i>capillaris</i> , Kunth.			
1141 <i>Brachylytrum aristatum</i> , Beauv.			
1142 <i>Heleochoa schoenoides</i> , Host.			
1143 <i>Phleum pratense</i> , L.			
1144 <i>Alopecurus pratensis</i> , L.			
1145 <i>Agrostis alba</i> , L.			
1146 <i>vulgaris</i> , Thurb.			
1147 <i>perennans</i> , Tuckerm.			
1148 <i>scabra</i> , Willd.			
1149 <i>Cinna arundinacea</i> , L.			
1150 <i>Calamagrostis Canadensis</i> , Beauv.			
1151 <i>Nuttalliana</i> , Steud.			
1152 <i>Arrhenatherum avenaceum</i> , Beauv.			
1153 <i>Holcus lanatus</i> , L.			
1154 <i>Deschampsia flexuosa</i> , Trin.			
1155 <i>cæspitosa</i> , Beauv.			
1156 <i>Trisetum palustre</i> , Torr.			
1157 <i>Danthonia Spicata</i> , Beauv.			
1158 <i>Bouteloua racemiosa</i> , Lag.			
1159 <i>Eleusine Indica</i> , Gærtn.			
1160 <i>Triodea cuprea</i> , Jacq.			
1161 <i>Eatonia obtusata</i> , Gray.			
1162 <i>Pennsylvanica</i> , Gray			
1163 <i>Eragrostis reptans</i> , Nees.			
1164 <i>minor</i> , Host.			
1165 <i>pilosa</i> , Beauv.			
1166 <i>Frankii</i> , Meyer.			
1167 <i>capillaris</i> , Nees.			
1168 <i>pectinacea</i> , Gray.			
1169 <i>Melica diffusa</i> , Pursh.			
1170 <i>Uniola latifolia</i> , Michx.			
1171 <i>Dactylis glomerata</i> , L.			
1172 <i>Poa annua</i> , L.			
1173 <i>compressa</i> , L.			
1174 <i>pratensis</i> , L.			
1175 <i>sylvestris</i> , Gray.			
1176 <i>alsodes</i> , Gray.			
1177 <i>brevifolia</i> , Muhl.			
1178 <i>serotina</i> , Ehrhart.			
1179 <i>Glyceria Canadensis</i> , Trin.			
1180 <i>elongata</i> , Trin.			

Order by Name or Number.	Price Per 10	Per 100	Per 1000
1181 <i>Glyceria nervata</i> , Trin.			
1182 <i>fluitans</i> , R. Br.			
1183 <i>Festuca tenella</i> , Willd.			
1184 <i>Myurus</i> , L.			
1185 <i>elatior</i> , L.			
1186 <i>pratensis</i> , Huds.			
1187 <i>nutans</i> , Willd.			
1188 <i>Bromus secalinus</i> , L.			
1189 <i>racemosus</i> , L.			
1190 <i>ciliatus</i> , L.			
1191 <i>sterilis</i> , L.			
1192 <i>Lolium perenne</i> , L.			
1193 <i>Agropyrum repens</i> , Beauv.			
1194 <i>Elymus Virginicus</i> , L.			
1195 <i>Canadensis</i> , L.			
1196 Var. <i>glaucifolius</i> , Gray.			
1197 <i>striatus</i> , Willd.			
1198 <i>Asprella Hystrix</i> , Willd.			
1199 <i>Dactyloctenium Ægyptiacum</i> , Willd.			

Forty perennial species of this order will be carefully selected true to name and packed in damp moss, etc. for \$2.00.

Equisetaceæ.

1200 <i>Equisetum arvense</i> , L.	15	35	2 00
1201 Var. <i>serotinum</i> . Meyer			
1202 <i>sylvaticum</i> , L.	15	35	2 00
1203 <i>hyemale</i> , L.			

Filices.--Ferns.

1204 <i>Polypodium vulgare</i> , L.	20	35	2 50
1205 <i>Adiantum pedatum</i> , L.	20	35	2 50
1206 <i>Pteris aquilina</i> , L.	20	35	2 50
1207 <i>Cheilanthes vestita</i> , Swartz.	20	35	2 50
1208 <i>Pellæa atropurpurea</i> , Link.			
1209 <i>Asplenium pinnatifidum</i> , Nutt.	25	50	
1210 <i>trichomanes</i> , L.	15	35	2 00
1211 <i>ebeneum</i> , Ait.	15	35	2 00
1212 <i>montanum</i> , Willd.	25	50	
1213 <i>Rita-muraria</i> , L.			
1214 <i>angustifolium</i> , Mx.	25	50	3 00
1215 <i>thelypteroides</i> , Mx.	20	50	3 00
1216 <i>Filix fœmina</i> , Bernh.	20	50	3 00
1217 <i>Camptosorus rhizophyllus</i> , Link.	20	50	3 00
1218 <i>Phegopteris hexagonoptera</i> , Fee.	15	35	2 00
1219 <i>Dryopteris</i> , Fee.	15	35	2 00
1220 <i>Aspidium thelypteris</i> , Swartz.	15	35	2 00
1221 <i>Noveboracense</i> , "	15	35	2 00
1222 <i>spinulosum</i> , Swartz var. <i>dilatatum</i> , Hook, Var. <i>intermedium</i>			
1223 D. C. Eaton	20	50	3 00
1224 <i>Bootii</i>	15	35	2 00
1225 <i>cristatum</i> , Swartz.	30	1 00	
1226 <i>marginale</i> , Swartz.	20	50	2 00
1227 <i>acrostichoides</i> , Swtz.	20	50	2 50
1228 <i>Cystopteris bulbifera</i> , Bernh.			
1229 <i>fragilis</i> , Bernh.	15	35	1 50
1230 <i>Onoclea sensibilis</i> , L.	15	35	1 50
1231 <i>Struthiopteris</i> , Hoffm.	25	50	4 00
1232 <i>Woodsia obtusa</i> , Torr.			
1233 <i>Dicksonia pilosiuscula</i> , Willd.	15	35	2 00
1234 <i>Osmunda regalis</i> , L.	25	50	3 00
1235 <i>Claytonia</i> , L.	25	50	3 00
1236 <i>cinnamomea</i> , L.	25	50	3 00

Ophioglossaceæ.

1237 <i>Botrychium matricariæfolium</i> , Braun.			
1238 <i>Virginianum</i> , Swtz ternatum, "	20	40	2 50
1239 Var. <i>obliquum</i> , Gray,	30	60	
1240 Var. <i>dissectum</i> , Gray	30	60	
1241 <i>Ophioglossum vulgatum</i> , L.			

Lycopodiaceæ.

Order by Name or Number.	Price Per 10	Per 100	Per 1000
1242 <i>Lycopodium lucidulum</i> , Mchx.	20	40	3 00
1243 <i>obscurum</i> , L. . . .	20	40	3 00
1244 <i>clavatum</i> , L. . . .			
1245 <i>complanatum</i> , L.	20	40	3 00

Selaginellaceæ.

1246 <i>Selaginella rupestris</i> , Spreng. .	15	30	2 00
1247 <i>apus</i> , Spreng. . . .	15	30	2 00
1248 <i>Isoetes Englemanni</i> , Braun. .			
1248½ <i>Var. valida</i> , Engelm.			

Jungermanniaceæ.

1249 <i>Frullania Asagrayana</i> , Mont. .			
1250 <i>Virginica</i> , Lehm. . . .			
1251 <i>Eboracensis</i> , Lehm. . .			
1252 <i>æolotis</i> , Nees.			
1253 <i>Lejeunea clypeata</i> , Lchweinitz			
1254 <i>cucullata</i> , Nees, . . .			
1255 <i>Porella pinnata</i> , L.			
1256 <i>platyphylla</i> , Lindl. . . .			
1257 <i>Ptilidium ciliare</i> , Nees.			
1258 <i>Trichocolea tomentella</i> , Nees.			
1259 <i>Bazzania trilobata</i> , S. F. Gray,			
1260 <i>Cephalozia curvifolia</i> , Dumort,			
1261 <i>Scapania nemorosa</i> , Nees. . . .			
1262 <i>Lophocolea bidendata</i> , Nees. .			
1263 <i>Jungermannia Schraderi</i> , Mar-			
<i>tius</i>			
1264 <i>Metzgeria furcata</i> , Nees.			
1265 <i>Plagiochila porelloides</i> , Linden.			
1266 <i>asplenoides</i> , Nees,			
& Mont.			
1266½ <i>Pallavicinia Lyellii</i> , S. F. Gray			

Anthocerotaceæ.

1267 <i>Anthoceros lævis</i> , L.			
---	--	--	--

Marchantiaceæ.

1268 <i>Marchantia polymorpha</i> , L. . . .			
1269 <i>Fimbriaria tenella</i> , Nees.			
1270 <i>Grimaldia barbifrons</i> , Bisch. .			
1271 <i>Asterella hemisphærica</i> , Beauv.			
1272 <i>Conocephalus conicus</i> , Dumort,			

Ricciaceæ.

1273 <i>Riccia fluitans</i> , L.			
1274 <i>Natans</i> , L.			
1275 <i>glauca</i> , L.			

Musci.--Mosses.

1276 <i>Sphagnum cymbifolium</i> , Ehrh.			
1277 <i>acutifolium</i>			
1278 <i>Archidium Ohioense</i> , Scheimp.			
1279 <i>Phascum crassinervium</i> , Sch'gr			
1280 <i>Wessia viridula</i> , Brid.			
1281 <i>Dicranum scoparium</i> , Hewd. .			
1282 <i>undulatum</i> , Turner			
1283 <i>varius</i> , Hedw.			
1284 <i>Schreberi</i> , Hedw. .			
1285 <i>heteromallum</i> , Hedw.			
1286 <i>rufescens</i> , Turner. .			
1287 <i>Ceratodon purpureus</i> , Bridel.			
1288 <i>Leucobryum minus</i> , Hampe. .			
1289 <i>glaucum</i> , "			
1290 <i>Fissidens minutulus</i> , Sulliv. .			
1291 <i>adiantoides</i> , Hedw.			
1292 <i>Conomintrium Julianum</i> , Mont.			
1293 <i>Trichostomum tortile</i> , Schred.			
1294 <i>pallidum</i> , Hedw.			
1295 <i>Barbula unguiculata</i> , Hedw. .			
1296 <i>cæspitosa</i> , Schwægr. .			
1297 <i>Desmatodon plinthobius</i> ,			
1298 <i>Tetraphis pellucida</i> , Hedw. . .			
1299 <i>Encalypta streptocarpa</i> , Hedw.			
1300 <i>Zygodon lapponicus</i> , Br. & Sch,			
1301 <i>Drummondia clavellata</i> , Hook.			

Order	by Name or Number.	Price Per 10	Per 100	Per 1000
1302	<i>Orthotrichum cupulatum</i> , Hoffm.			
1303	<i>anomalum</i> , Hedw.			
1304	<i>strangulatum</i> , Beauv.			
1305	<i>Canadense</i> , Br. & Sch.			
1306	<i>Hutchinsiae</i> , Smith.			
1307	<i>crisgum</i> , Hedw.			
1308	<i>crispulum</i> , Hornsch.			
1309	<i>Schistidium apocarpum</i> , Br. & Sch.			
1310	<i>confertum</i> , "			
1311	<i>Grimmia Pennsylvanica</i> , Schw.			
1312	<i>Hedwigia ciliata</i> , Hedw. . . .			
1313	<i>Diphyscium foliosum</i> , W. & M.			
1314	<i>Atrichum undulatum</i> , Beauv. .			
1315	<i>angustatum</i> , "			
1316	<i>Pogonatum brevicale</i> , Brid. .			
1317	<i>Popytrichum commune</i> , L. . .			
1318	<i>formosum</i> , Hedw.			
1319	<i>Timmia megapolitana</i> , Hedw.			
1320	<i>Aulacomnion heterostichum</i> , Br. & Sch.			
1321	<i>palustre</i> , Schw. .			
1322	<i>Bryum pyriforme</i> , Hewd. . .			
1323	<i>crudum</i> , Schreb. . . .			
1324	<i>nutans</i> , Schreb. . . .			
1325	<i>roseum</i> , Sch.			
1326	<i>argenteum</i> , L.			
1327	<i>bimum</i> , Sch.			
1328	<i>intermedium</i> , Brid. .			
1329	<i>Cæspitium</i> , L.			
1330	<i>cirrhatum</i> , Hoffe & Horn.			
1331	<i>Mnium affine</i> , Bland.			
1332	<i>hornum</i> , Hedw. . . .			
1333	<i>lycopodioides</i> , Hook. .			
1334	<i>punctatum</i> , Hewd. . . .			
1335	<i>serratum</i> , Brid.			
1336	<i>cuspidatum</i> , Hewd. . .			
1337	<i>Bartramia pomiformis</i> , Hewd.			
1338	<i>fontana</i> , Brid.			
1339	<i>Funaria hygrometrica</i> , Hewd.			
1340	<i>Physcomitrium</i> , Hewd.			
1341	<i>Aphanorhegma serrata</i> , Sulliv.			
1342	<i>Fontinalis atipyretica</i> , L. var.			
	<i>gigantea</i> , Sulliv. .			
1343	<i>dalecarlica</i> , Bry. Eur.			
1344	<i>Leucodon julaceus</i> , Sulliv. . .			
1345	<i>Leptodon trichomitron</i> , Mohr.			
1346	<i>Anomodon attenuatus</i> , Hub. .			
1347	<i>tristis</i> , Cesati.			
1348	<i>Lesker polycarpa</i> , Hedw. . . .			
1349	<i>obscura</i> , Hedw.			
1350	<i>rostrata</i> , Hedw.			
1351	<i>Thelia hirtella</i> , Sulliv.			
1352	<i>Myurella Careyana</i> , Sulliv. . .			
1353	<i>Pylaisea intricata</i> , Bry., Eur. .			
1354	<i>Homalothecium subcapillatum</i> ,			
	Bry. Eur. .			
1355	<i>Platygerium repens</i> , Bry., Eur.			
1356	<i>Cylindrothecium cladorrhizans</i> ,			
	Bry., Eur. .			
1357	<i>seductrix</i> , Bry., Eur.			
1358	<i>Neckera pennata</i> , Hedw.			
1359	<i>Climacium Americanum</i> , Brid.			
1360	<i>Hypnum tamariscinium</i> , Hedw.			
1361	<i>paludosum</i> , Sulliv. . .			
1362	<i>triquetrum</i> , L.			
1363	<i>brevirostre</i> , Ehrl. . . .			
1364	<i>splendens</i> , Hedw. . . .			
1365	<i>Alleghaniense</i> , C. Muhl.			
1366	<i>hians</i> , Hedw.			
1367	<i>Sullivantii</i> , Spruce. . .			
1368	<i>strigosum</i> , Hoffm. . . .			
1369	<i>Boscii</i> , Sch.			
1370	<i>serrulatum</i> , Hedw. . . .			
1371	<i>rusciforme</i> , Weis. . . .			
1372	<i>recurvans</i> , Sch.			
1373	<i>giganteum</i> , Schimp. . .			
1374	<i>cuspidatum</i> , Sch., Willd.			
1375	<i>cordifolium</i> , Hedw. . .			
1376	<i>aduncum</i> , Hedw.			

Order by Name or Number		Price Per 10	Per 100	Per 1000
1377	<i>Hypnum filicinum</i> , L.			
1378	<i>crista-castrensis</i> , L.			
1379	<i>molluscum</i> , Hedw.			
1380	<i>imponens</i> , Hedw.			
1381	<i>curvifolium</i> , Hedw.			
1382	<i>pratense</i> , Koch.			
1383	<i>rugosum</i> , Ehr.			
1384	<i>salebrosum</i> , Hoffm.			
1385	<i>lætum</i> , Brid.			
1386	<i>rutabulum</i> , L.			
1387	<i>plumosum</i> , L.			
1388	<i>stellatum</i> , Schreb.			
1389	<i>polymorphum</i> , Bry Eur.			
1390	<i>hispidulum</i> , Brid.			
1391	<i>minutissimum</i> , Sulliv.			
	& Lesqx.			
1392	<i>adnatum</i> , Hedw.			
1393	<i>serpens</i> , Hedw.			
1394	<i>radicale</i> , Brid.			
1395	<i>orthocladon</i> , Beauv.			
1396	<i>noterophylum</i> , Sulliv.			
	& Lesqx.			
1397	<i>riparium</i> , Hedw.			
1398	<i>lescurii</i> , Sulliv.			
1399	<i>denticulatum</i> , L.			





JAMES GALEN

List of New...

... and Second Hand

Books, Pamphlets,
Price Lists,
Documents, Etc.,

For Sale and exchange by...

JAMES GALEN,
Bethesda, Lancaster Co., Pa.

Order by Name or Number.

1	Agricultural Report of Pennsylvania for 1887, . . .	\$ 50
2	" " " " " " 1888, . . .	50
3	The United States and Spain in 1790,	25
4	General Orders of Major General Heath,	30
5	Political History of the U. S.,	50
6	The spurious Letters attributed to Washington, . .	50
7	The Monist, No. I,	10
8	Washington as an Employer and Importer of Labor,	25
9	Agricultural Report of Pa. for 1886,	50
10	" " " " " " 1890,	50
11	The Federal City, fair condition,	10
12	Miner's Bee Keepers' Manual, with autograph of Hon. John Strohm,	50
13	Conkling's Handy Manual of Useful Information, .	25
14	Helen's Babies,	20
15	Webster's Unabridged Dictionary,	I 00
16	The Press of North Carolina in the 18th Century .	15
17	The Washington-Duche Letters,	10
18	Reply of Wm. Lee to Silas Deane, 1779,	10
19	The Big Value Premium Budget,	10
20	Isaac C. Martindale's Collection U. S. and Foreign Stamps,	25
21	Observations on the Declaration of Independence,	05

22	The 1893 Philadelphia Record Almanac,	\$ 10
23	W. Selschopp & Co.'s Price-List of Stamps, Etc., for 1896,	05
24	The Boston Medical and Surgical Journal, numbers 1 to 25, inclusive, of Vol XCII,	1 00
25	Musser's Scriptural Representation of the Church,	10
26	The Evolutionist At Large,	10
27	Bear's Almanac for 1895,	05
28	John Calvin, and the Errors of Presbyterianism,	15
29	Earth, Plants and Man, Fair condition,	25
30	State Book of Pa.,	25
31	Andrews and Stoddard's Latin Grammar,	25
32	" Latin Exercises,	25
33	Davie's Geometry and Trigonometry, fair,	25
34	Gough's Arithmetic, 1784,	40
35	Religious Ceremonies,	50
36	Elements of Astronomy, by Davis,	40
37	Botany—Ketchum,	40
38	First Steps in Scientific Knowledge,	50
39	Macloskie's Botany,	50
40	Practical Botany, by Koehler,	75
41	The World Almanac for 1893,	25
42	" " " " 1895,	25
43	" " " " 1896,	25

44	The Prison of Weltvreden, by Gibson,	\$ 75
45	Nature Display'd, 1757,	50
46	" " "	50
47	" " "	50
48	" " "	50
49	" " 1763,	50
50	" " "	50
51	" " "	50
52	Macaulay's History of England, 5 vols.,	1 00
53	The Ku Klox Conspiracy,	50
54	Vinegar Bitters Almanac, for 1878,	03
55	Copy of the Christian Reporter,	05
56	Col. Ingersoll to Mr. Gladstone,	05
57	Wheelock's Proces of Tanning,	05
58	Agricultural Report of Pa, for 1882,	50
59	Little Dormit, a novel, by Dickens,	10
60	Seven Years in Peru,	25
61	U. S. fourth Report of the Entomological Com.,	50
62	List of 465 different Quilt Patterns,	Free
63	Twelve complete Novelettes,	10
64	Seventy-ove complete stories,	10
65	Medical Gazette, Vol. V,	50
66	Transactions of the Medical Society of Pa., Vols. XIX, XV, XX, XXI, XVI, and XVIII, per vol.,	25

George W. Bassett, Printer, Hammonton, N. J.

Quilt Patterns,

One for 5c, three for 10c, ten for 25c. Puzzle designs.

No. 25, Pullman Puzzle.

" 26, Devil's Puzzle.

" 27, Oldmaid's Puzzle.

" 28, Dutchman's Puzzle.

" 29, Irish Puzzle.

" 30, Yankee Puzzle.

" 31, Fool's Puzzle.

" 32, World's Fair Puzzle.

" 33, Columbia Puzzle.

" 34, Washington's Puzzle.

List of 217 designs sent free; will exchange for designs.

Address :

JAMES GALEN,

Lancaster Co. Bethesda, Pa.

**OPIUM,
MORPHINE, TOBACCO
AND WHISKEY
HABIT**

Cured without suffering. A specialty for 10 years; hundreds cured, treatment original and private. Free from Opium, Bromides, Coaine, etc. No shock, no suffering; all desire stopped. No fee until cured.

Endorsed by eminent physicians, method entirely different from all others. Write for information and reference.

Write your case plain and send 16cts. stamps for 10 days treatment.

DR. J.F. ROUGHTON & Co.,
American Dispensary, 554
Decatur St., ATLANTA, Ga.

 To Physicians Free.

NEWSPAPER CLIPPINGS
—OF—
CLASSIFIED RECIPES.

Put up in packets of 25 to 100 different formulas. Price 5c to 10c per packet. List free. Clippings of History, Science, Biography, Puzzles, etc., for sale or exchange.

Address

JAMES GALEN
BETHESDA, - - - PA.





